Index

IEE Proceedings-H
Microwaves, Antennas and Propagation
Vol. 140, 1993

ABBREVIATIONS

- p paper, address or lecture
- d discussion on a paper
- a abstract of paper or address
- e errata
- s synopsis of a paper published in full in another Part of the IEE Proceedings

Author index

A

Abbosh, A.A., and Sayidmarie, K.H. see Sayidmarie, K.H.
Alhaider, M.A., and Ali, A.A. see Ali, A.A.
Ali, A.A., and Alhaider, M.A. Effect of multipath fading on millimetre wave propagation: a field study p343
Allnutt, J.E., Witternigg, N., Kubista, E., Randeu, W.L., Riedler, W., and Arbesser-Rastburg, B. see Witternigg, N.
Amalric, J-L., Cavalli, C., and Baudrand, H. see Cavalli, C.
Aoki, K., Makino, S., Katagi, T., and Kagoshima, K. Design method for an offset dual-shaped reflector antenna with high efficiency and an elliptical beam p121
Arbesser-Rastburg, B., Witternigg, N., Kubista, E., Randeu, W.L., Riedler, W., and Allnutt, J.E. see Witternigg, N.
Arvas, E., and Sadigh, A. see Sadigh, A.
Au, P.W.B., Parker, E.A., and Langley, R.J. Wideband filters employing multilayer gratings p292

B

Boifot, A.M. Compact broadband TE_{01}-mode generator p339
Barr, R., Ireland, W., and Smith, M.J. ELF, VLF and LF radiation from a very large loop antenna with a mountain core p129
Barr, R., and Ireland, W. Low-frequency input impedance of a very large loop antenna with a mountain core p84
Baudrand, H., Cavalli, C., and Amalric, J-L. see Cavalli, C.
Bennegueouche, J., Damiano, J.P., and Papiernik, A. Original multilayer microstrip disc antenna for dual-frequency band operation: theory and experiment p441
Beyer, A., Köther, D., and Borkes, J. see Köther, D.
Bolle, D.M. Utilisation of surface magnetoplasmons in the millimetre wavelength range p173
Bolle, D.M., Mohsenian, N., and Delph, T.J. see Mohsenian, N.
Bor, S.-S., Liu, J.-C., Ho, S.-S., and Lu, P.-C. see Liu, J.-C.
Borkes, J., Köther, D., and Beyer, A. see Köther, D.

C

Cavalli, C., Amalric, J-L., and Baudrand, H. Various aspects of nonreciprocal devices using magnetised semiconductors p165
Chakraborty, A., Datta, A., and Das, B.N. see Datta, A.
Chang, C.N., and Cheng, J.F. Hybrid quasistatic analysis of multilayer microstrip lines p79
Cheng, J.F., and Chang, C.N. see Chang, C.N.
Chew, W.C., and Lu, C.C. see Lu, C.C.
Chow, Y.L., Safavi-Naeini, S., and Faraji-Dana, R. see Safavi-Naeini, S.
Coccioli, R., Pelosi, G., and Freni, A. see Pelosi, G.
Cook, G.G., and Khamas, S.K. Temperature control of radar cross-section using electrically small high T_c superconducting antenna elements for stealth applications p326
Cox, J.W.R. Corroboration of a moment-method calculation of the maximum mutual coupling between two HF antennas mounted on a helicopter p113
Cronin, N.J., and Wells, J.A. see Wells, J.A.
Croq, F., Kossiavas, G., and Papiernik, A. Stacked resonators for bandwidth enhancement: a comparison of two feeding techniques p303
Cuhaci, M., Reddy, C.J., and Ittipiboon, A. see Reddy, C.J.

D

Da Silva Souza sobrinho, C.L., and Giarola, A.J. Analysis of biaxially anisotropic dielectric waveguides with Gaussian–Gaussian index of refraction profiles by the finite-difference method p224
Damiano, J.P. Analysis of triangular patch antennas including radome effects (correspondence) p144
Damiano, J.P., Bennegueouche, J., and Papiernik, A. see Bennegueouche, J.
Das, B.N., Datta, A., and Chakraborty, A. see Datta, A.
Das, B.N., and Das, S.K. see Das, S.K.
Das, S.K., and Das, B.N. Analysis of the effects of septum thickness on impedance and fields of TEM mode inside an asymmetric TEM cell p347
Datta, A., Chakraborty, A., and Das, B.N. Analysis of a strip loaded resonant longitudinal slot in the broad wall of a rectangular waveguide p135
Davis, L.E., Sloan, R., and Paul, D.K. TM_{om} modes in transversely magnetised semiconductor-filled coaxial waveguide and parallel plates p211
Delph, T.J., Mohsenian, N., and Bolle, D.M. see Mohsenian, N.
Dobrowolski, J.A. CAD oriented method for noise analysis of microwave circuits described by the nodal admittance matrix p321

E

El Sheikh, A.N.A., Parker, E.A., and Lima, A.C. de C. see Parker, E.A.
El-Hajj, A., Kabalan, K.Y., and Harrington, R.F. Characteristic mode analysis of electromagnetic coupling through multiple slots in a connecting plane p421
Eliades, D.E. Alternative derivation of the cascaded cylinder diffraction model p279
Eliades, D.E. Terrain simulation for the cascaded cylinder diffraction model p285
Eom, H.J., and Park, T.J. see Park, T.J.
Evans, G.D., James, J.R., and Fray, A. see James, J.R.
Excell, P.S., Jackson, N.N., and Wong, K.T. Compact electromagnetic test range using an array of log-periodic antennas p101

F

Faraji-Dana, R., Safavi-Naeini, S., and Chow, Y.L. see Safavi-Naeini, S.
Forooraghi, K., and Kildal, P.-S. Transverse radiation pattern of a slotted waveguide array radiating between finite height baffles in terms of a spectrum of two-dimensional solutions p52
Fourikis, N., Lioutas, N., and Shuley, N.V. Parametric study of the co- and crosspolarisation characteristics of tapered planar and antipodal slotline antennas p17
Fray, A., James, J.R., and Evans, G.D. see James, J.R.
Freni, A., Pelosi, G., and Coccioli, R. see Pelosi, G.
Fusco, V.F., and Linden, P.A. see Linden, P.A.

G

Ganesh, R., and Pahlavan, K. Statistics of short time and spatial variations measured in wideband indoor radio channels p297
Giarola, A.J., and da Silva Souza Sobrinho, C.L. see Da Silva Souza sobrinho, C.L.
Gibson, C., Zhu, Z., Samuel, A.H., and Matthews, I.P. see Zhu, Z.
Govaerts, H.J.F.G., and van Dooren, G.A.J. see Van dooren, G.A.J.
Gschwendtner, B.E., Stocker, K.E., and Landstorfer, F.M. see Stocker, K.E.

H

Harrington, R.F., El-Hajj, A., and Kabalan, K.Y. see El-Hajj, A.
Hawkins, D.C., and Thompson, F. Modifications to the theory of waveguide horns p381
Helszajn, J., and Levy, R. see Levy, R.
Ho, S.-S., Liu, J.-C., Bor, S.-S., and Lu, P.-C. see Liu, J.-C.
Hong, W., and Zhu, Z. Radar cross-section of dielectric-coated conducting cylinder loaded with periodic metallic strips using mixed SDM, CGM and FFT : TE incidence p373
Horno, M., and Mesa, F. see Mesa, F.
Hossainzadeh, A., Vardaxoglou, J.C., and Stylianou, A. see Vardaxoglou, J.C.
Huang, C., Nevels, R.D., and Wu, Z. see Nevels, R.D.
Huang, F. Low loss quasitransversal microwave filters with specified amplitude and phase characteristics p433
Huang, Y.-F., and Lai, S.-L. Regular solution of singular integral equation for finlines p11
Huting, W.A., Warren, J.W., and Krill, J.A. Some recent developments in circular overmoded waveguide p447

I

Ireland, W., Barr, R., and Smith, M.J. see Barr, R.
Ireland, W., and Barr, R. see Barr, R.
Isernia, T., Leone, G., and Pierri, R. Antenna testing from phaseless measurements: probe compensation and experimental results in the cylindrical case p395
Ittipiboon, A., Reddy, C.J., and Cuhaci, M. see Reddy, C.J.

J

Jackson, N.N., Excell, P.S., and Wong, K.T. see Excell, P.S.
James, J.R., Evans, G.D., and Fray, A. Beam scanning microstrip arrays using diodes p43

K

Kabalan, K.Y., El-Hajj, A., and Harrington, R.F. see El-Hajj, A.
Kagoshima, K., Aoki, K., Makino, S., and Katagi, T. see Aoki, K.
Kajfez, D., and Wu, Y. Field and energy distribution of a dielectric tube inside a split cylinder p29
Katagi, T., Aoki, K., Makino, S., and Kagoshima, K. see Aoki, K.
Kazama, Y. One-point feed printed crossed dipole with a reflector antenna combined with a reactively loaded parasitic loop for land mobile satellite communication antennas p417
Khamas, S.K., and Cook, G.G. see Cook, G.G.
Kildal, P.-S., and Forooraghi, K. see Forooraghi, K.
Ko, C.C., and Wen, J. Fast null steering algorithm for arbitrary two-dimensional power inversion arrays p469
Köther, D., Beyer, A., and Borkes, J. Full wave analysis for the description of electromagnetic fields in planar waveguides with anisotropic substrates p231
Kolundžija, B.M., and Popović, B.D. Entire-domain Galerkin method for analysis of metallic antennas and scatterers p1
Kooi, P.S., Yeo, S.P., Leong, M.S., Yeo, T.S., and Zhou, X.D. see Yeo, S.P.
Kossiavas, G., Croq, F., and Papiernik, A. see Croq, F.
Krill, J.A., Huting, W.A., and Warren, J.W. see Huting, W.A.
Krowne, C.M. Nonreciprocal electromagnetic properties of composite chiral-ferrite media p242
Krowne, C.M. Waveguiding structures employing the solid-state magnetoplasma effect for microwave and millimetre-wave propagation p147
Kubista, E., Witternigg, N., Randeu, W.L., Riedler, W., Arbesser-Rastburg, B., and Allnutt, J.E. see Witternigg, N.

L

Lai, S.-L., and Huang, Y.-F. see Huang, Y.-F.
Landstorfer, F.M., Stocker, K.E., and Gschwendtner, B.E. see Stocker, K.E.
Langley, R.J., Au, P.W.B., and Parker, E.A. see Au, P.W.B.
Lee, J.-F. Numerical solutions of TM scattering using an obliquely Cartesian finite difference time domain algorithm p23
Lee, R.Q., and Simons, R.N. see Simons, R.N.
Leone, G., Isernia, T., and Pierri, R. see Isernia, T.
Leong, M.S., Yeo, S.P., Kooi, P.S., Yeo, T.S., and Zhou, X.D. see Yeo, S.P.

Levy, R., and Helszajn, J. Synthesis of series STUB-R complex gyrator circuits using halfwave long impedance transformers p426
Lima, A.C. de C., Parker, E.A., and El Sheikh, A.N.A. see Parker, E.A.
Linden, P.A., and Fusco, V.F. Concurrent global optimisation for microwave-device parameter estimation p71
Lioutas, N., Fourikis, N., and Shuley, N.V. see Fourikis, N.
Liu, J.-C., Ho, S.-S., Bor, S.-S., and Lu, P.-C. Tchebyshev approximation method for Salisbury screen design p414
Lockwood, M. Modelling high-latitude ionosphere for time-varying plasma convection p91
Lu, C.C., and Chew, W.C. Fast algorithm for solving hybrid integral equations p455
Lu, P.-C., Liu, J.-C., Ho, S.-S., and Bor, S.-S. see Liu, J.-C.

M

Mahapatra, S., Patil, K.D., and Maiti, S.K. see Patil, K.D.
Mahony, J.D. Approximate cross-polar characteristics for microstrip patch antennas p508
Maiti, S.K., Patil, K.D., and Mahapatra, S. see Patil, K.D.
Makino, S., Aoki, K., Katagi, T., and Kagoshima, K. see Aoki, K.
Matthews, I.P., Zhu, Z., Gibson, C., and Samuel, A.H. see Zhu, Z.
McNamara, D.A. Direct synthesis of optimum difference patterns for discrete linear arrays using Zolotarev distributions p495
Mesa, F., and Horno, M. Application of the spectral domain method for the study of surface slow waves in nonreciprocal planar structures with a multilayered gyroelectric substrate p193
Mohsenian, N., Delph, T.J., and Bolle, D.M. Two-dimensional finite-element analysis of planar dielectric waveguides with embossed isotropic *n*-type semiconductor material p219

N

Nevels, R.D., Huang, C., and Wu, Z. Fourier transform path integral method: numerical technique for scalar scattering in inhomogeneous regions p488
Notaroš, B.M., and Popović, B.D. see Popović, B.D.

O

Obunai, T. Propagation characteristics of a slow surface wave in a 70 GHz solid-plasma waveguide containing an *n*-InSb slab carrying an applied current p201

P

Pahlavan, K., and Ganesh, R. see Ganesh, R.
Papatsoris, A.D., and Watson, P.A. Calculation of absorption and dispersion spectra of atmospheric gases at millimetre-wavelengths p461
Papiernik, A., Bennegueouche, J., and Damiano, J.P. see Bennegueouche, J.
Papiernik, A., Croq, F., and Kossiavas, G. see Croq, F.
Park, T.J., and Eom, H.J. Analytic solution for TE-mode radiation from a flanged parallel-plate waveguide p387
Parker, E.A., Au, P.W.B., and Langley, R.J. see Au, P.W.B.
Parker, E.A., El Sheikh, A.N.A., and Lima, A.C. de C. Convoluted frequency-selective array elements derived from linear and crossed dipoles p378
Patil, K.D., Maiti, S.K., and Mahapatra, S. Useful path-independent integrals associated with TEM-mode transmission lines and a procedure for computation of rate of variation of capacitance with a cross-sectional dimension p107
Paul, D.K., Davis, L.E., and Sloan, R. see Davis, L.E.
Pelosi, G., Freni, A., and Coccioli, R. Hybrid technique for analysing scattering from periodic structures p65
Petrović, V.V., and Popović, B.D. see Popović, B.D.
Pierri, R., Isernia, T., and Leone, G. see Isernia, T.
Popović, B.D., and Kolundžija, B.M. see Kolundžija, B.M.
Popović, B.D., and Notaroš, B.M. PPP method for analysis of electromagnetic fields in inhomogeneous media p36
Popović, B.D., and Petrović, V.V. Vertical wire antenna above ground: simple near-exact image solution p501
Pregla, R. Method of lines for the analysis of multilayered gyrotropic waveguide structures p183
Prieto, A., Vegas, A., and Solano, M.A. see Vegas, A.

R

Randeu, W.L., Witternigg, N., Kubista, E., Riedler, W., Arbesser-Rastburg, B., and Allnutt, J.E. see Witternigg, N.
Reddy, C.J., Ittipiboon, A., and Cuhaci, M. Admittance characteristics of narrow radiating slots in nonradiating dielectric waveguide p407
Rengarajan, S.R. Spherical wave expansion technique (correspondence) p511
Riblet, G.P. Synthesis of eight-port comparator circuits using Dicke's methods p274
Riedler, W., Witternigg, N., Kubista, E., Randeu, W.L., Arbesser-Rastburg, B., and Allnutt, J.E. see Witternigg, N.
Rong, Y. Propagation characteristics of circular chirowaveguides periodically loaded with metal gratings p254

S

Sadigh, A., and Arvas, E. Electromagnetic scattering from arbitrarily shaped conducting bodies coated with a thin layer of lossy magnetic material p249
Safavi-Naeini, S., Faraji-Dana, R., and Chow, Y.L. Studies of edge current densities in regular and superconducting microstrip lines of finite thickness p361
Sali, S. Coupling of electromagnetic fields to coplanar striplines with discontinuities p481
Samuel, A.H., Zhu, Z., Gibson, C., and Matthews, I.P. see Zhu, Z.
Sayidmarie, K.H., and Abbosh, A.A. Holographic prediction of ground multipath parameters from range gain patterns p367
Schneider, A., and Şeker, Ş.S. see Şeker, Ş.S.
Searle, A.D., and Westcott, B.S. Hybrid antenna synthesis for reconfigurable contoured beams p263
Şeker, Ş.S., and Schneider, A. Experimental characterisation of UHF radiowave propagation through forests p329
Sharaiha, A., and Terret, C. Analysis of quadrifilar resonant printed helical antenna for mobile communications p269
Shuley, N.V., Fourikis, N., and Lioutas, N. see Fourikis, N.
Simons, R.N., and Lee, R.Q. Effect of parasitic dielectric resonators on CPW/aperture-coupled dielectric resonator antennas p336
Singh, R., and Singh, S. see Singh, S.
Singh, S., and Singh, R. Use of linear and nonlinear algorithms in the acceleration of doubly infinite Green's function series p452
Sloan, R., Davis, L.E., and Paul, D.K. see Davis, L.E.
Smith, M.J., Barr, R., and Ireland, W. see Barr, R.
Solano, M.A., Vegas, A., and Prieto, A. see Vegas, A.
Stocker, K.E., Gschwendtner, B.E., and Landstorfer, F.M. Neural network approach to prediction of terrestrial wave propagation for mobile radio p315
Stylianou, A., Vardaxoglou, J.C., and Hossainzadeh, A. see Vardaxoglou, J.C.

T

Terret, C., and Sharaiha, A. see Sharaiha, A.
Thompson, F., and Hawkins, D.C. see Hawkins, D.C.
Twisleton, J.R.G. Lossless transmission and the measurement of insertion loss p390

V

Van dooren, G.A.J., and Govaerts, H.J.F.G. Shielding of single- and double-reflector earth station antennas: a near- and far-field approach p309
Vardaxoglou, J.C., Hossainzadeh, A., and Stylianou, A. Scattering from two-layer FSS with dissimilar lattice geometries p59
Vegas, A., Prieto, A., and Solano, M.A. Optimisation of the coupled-mode method for the analysis of waveguides partially filled with dielectrics of high permittivity: application to the study of discontinuities p401

W

Warren, J.W., Huting, W.A., and Krill, J.A. see Huting, W.A.
Watson, P.A., and Papatsoris, A.D. see Papatsoris, A.D.
Wells, J.A., and Cronin, N.J. Theoretical analysis of air bridging and back etching techniques on the shunt capacitance of planar subharmonic mixer diodes p474
Wen, J., and Ko, C.C. see Ko, C.C.
Westcott, B.S., and Searle, A.D. see Searle, A.D.
Witternigg, N., Kubista, E., Randeu, W.L., Riedler, W., Arbesser-Rastburg, B., and Allnutt, J.E. Quadruple-site diversity experiment in Austria using 12 GHz radiometers p354
Wong, K.T., Excell, P.S., and Jackson, N.N. see Excell, P.S.
Wu, Y., and Kajfez, D. see Kajfez, D.
Wu, Z., Nevels, R.D., and Huang, C. see Nevels, R.D.

Y

Yeo, S.P., Leong, M.S., Kooi, P.S., Yeo, T.S., and Zhou, X.D. Contour-integral analysis of microstrip sectorial power divider (with arbitrary sector angle) p62
Yeo, T.S., Yeo, S.P., Leong, M.S., Kooi, P.S., and Zhou, X.D. see Yeo, S.P.

Z

Zeng, X. Frequency-domain-continuation intermodulation-balance method for the analysis of nonlinear microwave circuits with multi-frequency excitations p259
Zhou, X.D., Yeo, S.P., Leong, M.S., Kooi, P.S., and Yeo, T.S. see Yeo, S.P.
Zhu, Z., Gibson, C., Samuel, A.H., and Matthews, I.P. Triple modulation technique applicable to microwave spectrometers with cavity gas cell p141
Zhu, Z., and Hong, W. see Hong, W.

Subject index

ANTENNAS

Antenna testing from phaseless measurements: probe compensation and experimental results in the cylindrical case. T. Isernia, G. Leone and R. Pierri p395
ELF, VLF and LF radiation from a very large loop antenna with a mountain core. R. Barr, W. Ireland and M.J. Smith p129
Electromagnetic scattering from arbitrarily shaped conducting bodies coated with a thin layer of lossy magnetic material. A. Sadigh and E. Arvas p249
Hybrid antenna synthesis for reconfigurable contoured beams. A.D. Searle and B.S. Westcott p263
Temperature control of radar cross-section using electrically small high T_c superconducting antenna elements for stealth applications. G.G. Cook and S.K. Khamas p326
Wideband filters employing multilayer gratings. P.W.B. Au, E.A. Parker and R.J. Langley p292

ANTENNAS (APERTURE)

Design method for an offset dual-shaped reflector antenna with high efficiency and an elliptical beam. K. Aoki, S. Makino, T. Katagi and K. Kagoshima p121

ANTENNAS (ARRAYS)

Direct synthesis of optimum difference patterns for discrete linear arrays using Zolotarev distributions. D.A. McNamara p495

ANTENNAS (DIPOLE)

Compact electromagnetic test range using an array of log-periodic antennas. P.S. Excell, N.N. Jackson and K.T. Wong p101
Convoluted frequency-selective array elements derived from linear and crossed dipoles. E.A. Parker, A.N.A. El Sheikh and A.C. de C. Lima p378
One-point feed printed crossed dipole with a reflector antenna combined with a reactively loaded parasitic loop for land mobile satellite communication antennas. Y. Kazama p417
Vertical wire antenna above ground: simple near-exact image solution. B.D. Popović and V.V. Petrović p501

ANTENNAS (MEASUREMENTS)

Antenna testing from phaseless measurements: probe compensation and experimental results in the cylindrical case. T. Isernia, G. Leone and R. Pierri p395
Corroboration of a moment-method calculation of the maximum mutual coupling between two HF antennas mounted on a helicopter. J.W.R. Cox p113
Entire-domain Galerkin method for analysis of metallic antennas and scatterers. B.M. Kolundžija and B.D. Popović p1
Low-frequency input impedance of a very large loop antenna with a mountain core. R. Barr and W. Ireland p84

ANTENNAS (MICROSTRIP)

Analysis of quadrifilar resonant printed helical antenna for mobile communications. A. Sharaiha and C. Terret p269
Analysis of triangular patch antennas including radome effects (correspondence). J.P. Damiano p144
Approximate cross-polar characteristics for microstrip patch antennas. J.D. Mahony p508
Original multilayer microstrip disc antenna for dual-frequency band operation: theory and experiment. J. Bennegueouche, J.P. Damiano and A. Papiernik p441
Stacked resonators for bandwidth enhancement: a comparison of two feeding techniques. F. Croq, G. Kossiavas and A. Papiernik p303

ANTENNAS (SLOT)

Parametric study of the co- and crosspolarisation characteristics of tapered planar and antipodal slotline antennas. N. Fourikis, N. Lioutas and N.V. Shuley p17

ANTENNAS (THEORY)

Shielding of single- and double-reflector earth station antennas: a near- and far-field approach. G.A.J. van Dooren and H.J.F.G. Govaerts p309

ARRAY PROCESSING

Beam scanning microstrip arrays using diodes. J.R. James, G.D. Evans and A. Fray p43
Fast null steering algorithm for arbitrary two-dimensional power inversion arrays. C.C. Ko and J. Wen p469

DESIGN

Some recent developments in circular overmoded waveguide. W.A. Huting, J.W. Warren and J.A. Krill p447

DIELECTRIC MATERIALS

Field and energy distribution of a dielectric tube inside a split cylinder. D. Kajfez and Y. Wu p29

DIODES

Beam scanning microstrip arrays using diodes. J.R. James, G.D. Evans and A. Fray p43
Theoretical analysis of air bridging and back etching techniques on the shunt capacitance of planar subharmonic mixer diodes. J.A. Wells and N.J. Cronin p474

ELECTROMAGNETIC THEORY

Alternative derivation of the cascaded cylinder diffraction model. D.E. Eliades p279
Coupling of electromagnetic fields to coplanar striplines with discontinuities. S. Sali p481
Field and energy distribution of a dielectric tube inside a split cylinder. D. Kajfez and Y. Wu p29
Hybrid technique for analysing scattering from periodic structures. G. Pelosi, A. Freni and R. Coccioli p65
Numerical solutions of TM scattering using an obliquely Cartesian finite difference time domain algorithm. J.-F. Lee p23
PPP method for analysis of electromagnetic fields in inhomogeneous media. B.D. Popović and B.M. Notaroš p36

FILTERS AND FILTERING

Low loss quasitransversal microwave filters with specified amplitude and phase characteristics. F. Huang p433

INSTRUMENTATION AND MEASURING SCIENCE

Lossless transmission and the measurement of insertion loss. J.R.G. Twisleton p390

MAGNETIC DEVICES AND PROPERTIES

Fast null steering algorithm for arbitrary two-dimensional power inversion arrays. C.C. Ko and J. Wen p469

MATHEMATICAL TECHNIQUES

Fast algorithm for solving hybrid integral equations. C.C. Lu and W.C. Chew p455
Fast null steering algorithm for arbitrary two-dimensional power inversion arrays. C.C. Ko and J. Wen p469
Radar cross-section of dielectric-coated conducting cylinder loaded with periodic metallic strips using mixed SDM, CGM and FFT : TE incidence. W. Hong and Z. Zhu p373
Two-dimensional finite-element analysis of planar dielectric waveguides with embossed isotropic n-type semiconductor material. N. Mohsenian, T.J. Delph and D.M. Bolle p219
Use of linear and nonlinear algorithms in the acceleration of doubly infinite Green's function series. S. Singh and R. Singh p452
Useful path-independent integrals associated with TEM-mode transmission lines and a procedure for computation of rate of variation of capacitance with a cross-sectional dimension. K.D. Patil, S.K. Maiti and S. Mahapatra p107

MICROSTRIP AND STRIPLINE

Analysis of quadrifilar resonant printed helical antenna for mobile communications. A. Sharaiha and C. Terret p269
Analysis of the effects of septum thickness on impedance and fields of TEM mode inside an asymmetric TEM cell. S.K. Das and B.N. Das p347
Hybrid quasistatic analysis of multilayer microstrip lines. C.N. Chang and J.F. Cheng p79
Studies of edge current densities in regular and superconducting microstrip lines of finite thickness. S. Safavi-Naeini, R. Faraji-Dana and Y.L. Chow p361
Synthesis of eight-port comparator circuits using Dicke's methods. G.P. Riblet p274
Useful path-independent integrals associated with TEM-mode transmission lines and a procedure for computation of rate of variation of capacitance with a cross-sectional dimension. K.D. Patil, S.K. Maiti and S. Mahapatra p107

MICROWAVE CIRCUITS AND NETWORKS

CAD oriented method for noise analysis of microwave circuits described by the nodal admittance matrix. J.A. Dobrowolski p321
Concurrent global optimisation for microwave-device parameter estimation. P.A. Linden and V.F. Fusco p71
Frequency-domain-continuation intermodulation-balance method for the analysis of nonlinear microwave circuits with multifrequency excitations. X. Zeng p259
Nonreciprocal electromagnetic properties of composite chiral-ferrite media. C.M. Krowne p242

MICROWAVE PASSIVE COMPONENTS

Tchebyshev approximation method for Salisbury screen design. J.-C. Liu, S.-S. Ho, S.-S. Bor and P.-C. Lu p414

MILLIMETRE WAVE DEVICES AND COMPONENTS

Admittance characteristics of narrow radiating slots in nonradiating dielectric waveguide. C.J. Reddy, A. Ittipiboon and M. Cuhaci p407
Nonreciprocal electromagnetic properties of composite chiral-ferrite media. C.M. Krowne p242

MODULATION

Triple modulation technique applicable to microwave spectrometers with cavity gas cell. Z. Zhu, C. Gibson, A.H. Samuel and I.P. Matthews p141

OPTICS

Holographic prediction of ground multipath parameters from range gain patterns. K.H. Sayidmarie and A.A. Abbosh p367

PROPAGATION IN RANDOM MEDIA

Calculation of absorption and dispersion spectra of atmospheric gases at millimetre-wavelengths. A.D. Papatsoris and P.A. Watson p461
Effect of multipath fading on millimetre wave propagation: a field study. A.A. Ali and M.A. Alhaider p343
Experimental characterisation of UHF radiowave propagation through forests. Ş.S. Şeker and A. Schneider p329
Fourier transform path integral method: numerical technique for scalar scattering in inhomogeneous regions. R.D. Nevels, C. Huang and Z. Wu p488

RADAR AND RADIONAVIGATION

Synthesis of eight-port comparator circuits using Dicke's methods. G.P. Riblet p274
Tchebyshev approximation method for Salisbury screen design. J.-C. Liu, S.-S. Ho, S.-S. Bor and P.-C. Lu p414
Utilisation of surface magnetoplasmons in the millimetre wavelength range. D.M. Bolle p173

RADIO-WAVE PROPAGATION (GROUND WAVE)

ELF, VLF and LF radiation from a very large loop antenna with a mountain core. R. Barr, W. Ireland and M.J. Smith p129

RADIO-WAVE PROPAGATION (IONOSPHERIC)

Modelling high-latitude ionosphere for time-varying plasma convection. M. Lockwood p91

RADIO-WAVE PROPAGATION (MICROWAVE)

Application of the spectral domain method for the study of surface slow waves in nonreciprocal planar structures with a multilayered gyroelectric substrate. F. Mesa and M. Horno p193

RADIO-WAVE PROPAGATION (TERRAIN EFFECTS)

Alternative derivation of the cascaded cylinder diffraction model. D.E. Eliades p279

Experimental characterisation of UHF radiowave propagation through forests. Ş.S. Şeker and A. Schneider p329

Neural network approach to prediction of terrestrial wave propagation for mobile radio. K.E. Stocker, B.E. Gschwendtner and F.M. Landstorfer p315

Quadruple-site diversity experiment in Austria using 12 GHz radiometers. N. Witternigg, E. Kubista, W.L. Randeu, W. Riedler, B. Arbesser-Rastburg and J.E. Allnutt p354

Terrain simulation for the cascaded cylinder diffraction model. D.E. Eliades p285

RADIOCOMMUNICATION

Statistics of short time and spatial variations measured in wideband indoor radio channels. R. Ganesh and K. Pahlavan p297

RADOMES

Analysis of triangular patch antennas including radome effects (correspondence). J.P. Damiano p144

Scattering from two-layer FSS with dissimilar lattice geometries. J.C. Vardaxoglou, A. Hossainzadeh and A. Stylianou p59

Wideband filters employing multilayer gratings. P.W.B. Au, E.A. Parker and R.J. Langley p292

SATELLITE LINKS AND SPACE COMMUNICATION

Design method for an offset dual-shaped reflector antenna with high efficiency and an elliptical beam. K. Aoki, S. Makino, T. Katagi and K. Kagoshima p121

Hybrid antenna synthesis for reconfigurable contoured beams. A.D. Searle and B.S. Westcott p263

Original multilayer microstrip disc antenna for dual-frequency band operation: theory and experiment. J. Bennegueouche, J.P. Damiano and A. Papiernik p441

Shielding of single- and double-reflector earth station antennas: a near- and far-field approach. G.A.J. van Dooren and H.J.F.G. Govaerts p309

SEMICONDUCTOR DEVICES AND MATERIALS

Application of the spectral domain method for the study of surface slow waves in nonreciprocal planar structures with a multilayered gyroelectric substrate. F. Mesa and M. Horno p193

Utilisation of surface magnetoplasmons in the millimetre wavelength range. D.M. Bolle p173

Waveguiding structures employing the solid-state magnetoplasma effect for microwave and millimetre-wave propagation. C.M. Krowne p147

SIGNAL PROCESSING

Contour-integral analysis of microstrip sectorial power divider (with arbitrary sector angle). S.P. Yeo, M.S. Leong, P.S. Kooi, T.S. Yeo and X.D. Zhou p62

SIMULATION

Calculation of absorption and dispersion spectra of atmospheric gases at millimetre-wavelengths. A.D. Papatsoris and P.A. Watson p461

Contour-integral analysis of microstrip sectorial power divider (with arbitrary sector angle). S.P. Yeo, M.S. Leong, P.S. Kooi, T.S. Yeo and X.D. Zhou p62

Coupling of electromagnetic fields to coplanar striplines with discontinuities. S. Sali p481

Neural network approach to prediction of terrestrial wave propagation for mobile radio. K.E. Stocker, B.E. Gschwendtner and F.M. Landstorfer p315

Numerical solutions of TM scattering using an obliquely Cartesian finite difference time domain algorithm. J.-F. Lee p23

SUPERCONDUCTIVITY

Temperature control of radar cross-section using electrically small high T_c superconducting antenna elements for stealth applications. G.G. Cook and S.K. Khamas p326

TELEPHONE EXCHANGES AND NETWORKS

Neural network approach to prediction of terrestrial wave propagation for mobile radio. K.E. Stocker, B.E. Gschwendtner and F.M. Landstorfer p315

TRANSFORMERS

Synthesis of series STUB-R complex gyrator circuits using halfwave long impedance transformers. R. Levy and J. Helszajn p426

TRANSMISSION LINES

Analysis of the effects of septum thickness on impedance and fields of TEM mode inside an asymmetric TEM cell. S.K. Das and B.N. Das p347

Lossless transmission and the measurement of insertion loss. J.R.G. Twisleton p390

WAVEGUIDES AND WAVEGUIDE COMPONENTS

Admittance characteristics of narrow radiating slots in nonradiating dielectric waveguide. C.J. Reddy, A. Ittipiboon and M. Cuhaci p407

Analysis of a strip loaded resonant longitudinal slot in the broad wall of a rectangular waveguide. A. Datta, A. Chakraborty and B.N. Das p135

Analysis of biaxially anisotropic dielectric waveguides with Gaussian–Gaussian index of refraction profiles by the finite-difference method. C.L. da Silva Souza Sobrinho and A.J. Giarola p224

Analytic solution for TE-mode radiation from a flanged parallel-plate waveguide. T.J. Park and H.J. Eom p387

Characteristic mode analysis of electromagnetic coupling through multiple slots in a connecting plane. A. El-Hajj, K.Y. Kabalan and R.F. Harrington p421

Compact broadband TE_{01}-mode generator. A.M. Bøifot p339

Effect of parasitic dielectric resonators on CPW/aperture-coupled dielectric resonator antennas. R.N. Simons and R.Q. Lee p336

Full wave analysis for the description of electromagnetic fields in planar waveguides with anisotropic substrates. D. Köther, A. Beyer and J. Borkes p231

Method of lines for the analysis of multilayered gyrotropic waveguide structures. R. Pregla p183

Modifications to the theory of waveguide horns. D.C. Hawkins and F. Thompson p381

Optimisation of the coupled-mode method for the analysis of waveguides partially filled with dielectrics of high permittivity: application to the study of discontinuities. A. Vegas, A. Prieto and M.A. Solano p401

Propagation characteristics of a slow surface wave in a 70 GHz solid-plasma waveguide containing an *n*-InSb slab carrying an applied current. T. Obunai p201

Propagation characteristics of circular chirowaveguides periodically loaded with metal gratings. Y. Rong p254

Regular solution of singular integral equation for finlines. Y.-F. Huang and S.-L. Lai p11

Some recent developments in circular overmoded waveguide. W.A. Huting, J.W. Warren and J.A. Krill p447

Spherical wave expansion technique (correspondence). S.R. Rengarajan p511

Synthesis of eight-port comparator circuits using Dicke's methods. G.P. Riblet p274

TM_{mn} modes in transversely magnetised semiconductor-filled coaxial waveguide and parallel plates. L.E. Davis, R. Sloan and D.K. Paul p211

Transverse radiation pattern of a slotted waveguide array radiating between finite height baffles in terms of a spectrum of two-dimensional solutions. K. Forooraghi and P.-S. Kildal p52

Two-dimensional finite-element analysis of planar dielectric waveguides with embossed isotropic *n*-type semiconductor material. N. Mohsenian, T.J. Delph and D.M. Bolle p219

Various aspects of nonreciprocal devices using magnetised semiconductors. C. Cavalli, J-L. Amalric and H. Baudrand p165

Waveguiding structures employing the solid-state magnetoplasma effect for microwave and millimetre-wave propagation. C.M. Krowne p147